

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	search\$3 with qurey with string	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 08:59
L2	642	search\$3 with query with string	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 09:00
L3	7848	(b\$tree or tree or hierarchic\$6 or directory) near3 (database or data\$base\$ or databases)	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 09:01
L4	38	2 and 3 and @AD<"20000309"	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 09:02

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	modul\$3 with (keyword\$3 and parameter\$2 and hierarchic\$6 and dichotomous)	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 13:41
L2	10	(keyword\$3 same parameter\$2 same hierarchic\$6 same dichotomous)	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 14:08
L3	2	2 not 1	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 13:42
L4	2	(search\$3 with dichotomous) and @AD<"20000309"	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 14:10
L5	55	(search\$3 with dichotomous) and @AD<"20000309"	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 14:49
L6	3	5 and "7.07"/\$.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 14:12

L7	52	5 not 6	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/20 14:12
L8	0	(dich\$7).ti. and @AD<"20000309" and "707"/\$.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/20 14:51
L9	3855	(dich\$7).ti. and @AD<"20000309"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/20 14:36
L10	1	(search\$3 with dich\$7).ti. and @AD<"20000309"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/20 14:49
L11	0	(dich\$7).ti. and "707"/\$.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/20 14:51
S1	0	search\$3 with qurey with string	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/20 08:59

S2	642	search\$3 with query with string	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/20 09:00
S3	7848	(b\$tree or tree or hierarchic\$6 or directory) near3 (database or data\$base\$ or databases)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/20 09:01
S4	38	S2 and S3 and @AD<"20000309"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/20 09:02